Overview

Models

HP IMC Wireless Service Manager Software Module with 50-Access Point E-LTU

JF414AAE

Key features

- Intuitive, easy-to-use interface
- Unified wired and wireless device management
- · Range of topology management modes
- Low maintenance costs and low TCO

Product overview

HP Intelligent Management Center (IMC) software is a modular comprehensive resource management platform. With its extensive device support, IMC software provides true end-to-end management for the entire network, and entire operation cycle.

An optional IMC module, HP IMC Wireless Services Manager (WSM) software provides unified management of wired and wireless networks, adding network management functions into existing wired network management systems. IMC WSM software offers wireless LAN (WLAN) device configuration, topology, performance monitoring, RF heat mapping, and WLAN service reports.

IMC WSM software facilitates centralized control over your wireless network, even if it is geographically dispersed. This reduces the time needed to deploy configuration changes and provides uniformity throughout your WLAN infrastructure.

Features and benefits

Management

• NEW WLAN device management

IMC Wireless Services Manager (WSM) software supports the HP MSM series of WLAN devices, including controllers, fit access points (APs), and fat APs; it also supports the Cisco wireless infrastructure

• WLAN device management

- o access controller list
- o access controller detail information
- o fit/fat AP list
- fit/fat AP detail information

• Wireless status view

WSM software displays key information in one place; for controllers it maintains status on mobility activity, DHCP server, VPNs, ports, VLANs, IPSec, and RADIUS; for APs, the software provides details on usage at the client level down to the CPU load level and across neighbors and local meshes; provides north-south status views (high-level health down to detailed status of services such as your RADIUS running on controllers)

• WLAN management

automatically displays WLAN SSIDs in your network, compares performance, and relates APs to the WLAN by SSID

• Batch configuration wizard

the batch configuration wizard can help users configure the WLAN network step by step, including WLANs, AP groups, and radio parameters

Topology—access controller and fit AP logical topology

displays logical and physical views of WLAN by AP, controller, or WLAN, and view status as well as detailed information in real time; provides links to quickly click and find device location



Overview

Location views

location topology feature shows the physical position for each AP and supports the JPG/PNG format background image; RF coverage displays the radio frequency coverage area of each AP to help you locate the problem of slow access speed or network access failure; you can then redeploy APs or adjust radio power or channel parameters to achieve the best signal coverage with the lowest cost

RF predictor

- O shows area coverages so you can predict the coverage before buying or moving APs
- o antennas shape direct signals so you can play with antenna types and add in obstacles to plan for best performance
- O predicts best placement of APs based on scale and obstacles you provide
- o send and save your RF plan using popular file formats

• Client management

because connection issues require information about your client, WSM software tracks client connection history, and provides top-down (AP-to-client) and client-to-AP views to ease troubleshooting processes

• Performance monitoring

WSM software displays graphs and performance charts for wireless devices status, wireless alarms statistics, online client trending, and AP traffic monitoring; users can define tasks to monitor performance items of interest

WLAN reports

provide AP statistics, radio statistics, client statistics, and traffic statistics

Wireless terminal trace display

logs the online and offline records of a wireless terminal and uses these records to display the movements of the wireless terminal in the location view

• WDS/mesh management

WSM software displays local mesh neighborhood and local mesh link information

PoE port management

to facilitate management, WSM software can automatically learn which APs are connected to a switch's PoE ports, enabling control of those PoE ports; set the fault AP to perform a cold restart, which will be a fast resume

• Google Maps™ integration

with WSM software support for Google Maps integration, users can add hotspots (such as Starbucks) to the map, view the number of APs and clients in the hotspot, and jump to the location topology from the hotspot to view detailed information

Wireless intrusion detection integration

helps manage the intrusion detection system at the controller level

Support for HP MSM radio resource management

provides configuration management of radio resources, including auto power, auto channel, and scheduling

Location-based services

locate MSM APs and connected clients

• NEW Real-time Spectrum Guard

IMC WSM software spectrum analysis scans the 2.4 GHz and 5 GHz frequency bands to detect interference and affected channels, as well as to generate real-time spectrum data; operators can obtain the wireless spectrum performance and WLAN security by viewing the current interference data and real-time spectrum data; real-time Spectrum Guard requires a license

Warranty and support

• Electronic and telephone support

limited electronic and business-hours telephone support is available from HP for the entire warranty period; to reach our support centers, refer to www.hp.com/networking/contact-support; for details on the duration of support provided with your product purchase, refer to www.hp.com/networking/warrantysummary

Software releases

to find software for your product, refer to www.hp.com/networking/support; for details on the software releases available with your product purchase, refer to www.hp.com/networking/warrantysummary



Technical Specifications

HP IMC Wireless Service Manager Software Module with 50-Access Point E-LTU (JF414AAE)

Minimum system 3.0 GHz Intel® Pentium® III or equivalent processor

hardware 4 GB RAM memory

30 GB storage 10/100 Mbps NIC

Recommended system

3.0 GHz Intel® Xeon® or Intel® Core™2 Duo processor or equivalent processor

hardware 8 GB RAM memory 150 GB storage

1000 Mbps NIC

Recommended software Microsoft® Windows® Server 2003 Enterprise Edition SP2

Microsoft® Windows® Server 2003 Enterprise Edition SP2 (32-bit)

Microsoft® Windows® Server 2008 (32-bit or 64-bit) Standard or Enterprise Edition

Microsoft® Windows® Server 2008 R2 (64-bit) Standard or Enterprise Editi

Browsers Microsoft Internet Explorer 6.0 or later

Firefox 3.0

Notes It should be a standalone server that is not on the same server as the IMC platform.

Services 3-Year, 9x5 SW phone support, software updates (UV740E)

3-year, 24x7 SW phone support, software updates (UV741E)

Refer to the HP website at www.hp.com/networking/services for details on the service-level descriptions and product numbers. For details about services and response times in your area, please contact your

local HP sales office.



Accessories

HP IMC Wireless Services Manager Software accessories

License

HP IMC Wireless Services Manager 50-Access Point E-LTU	JF415AAE
HP IMC Wireless Services Manager Components Location Service Package E-LTU	JG142AAE
HP IMC Wireless Service Manager / Real-Time Spectrum Guard E-LTU	JG816AAE
HP IMC Wireless Service Manager / Real-Time Location Services Additional 50-node E-LTU	JG759AAE
HP PCM Mobility Manager to IMC Wireless Service Manager Upg with 250-node E-LTU	JG769AAE

To learn more, visit: www.hp.com/networking

© Copyright 2010-2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Google Maps is a trademark of Google Inc. Intel, Core, Pentium, and Xeon are trademarks of Intel Corporation in the U.S. and other countries.

Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation.

